





# Product creativity presentation

2025 Brand Creative Presentation

### Vapi Factory Address:

2nd, 3rd Floor & Terrace Plot No. 143, Vibrant Business Park, Opp. UPL VAPI, Tal Vapi Dist. Valsad, Gujrat - 396191

### Sales and Marketing Office:


Office - 224 / 225, 1st Floor, Ashoka Shopping Centre, LT Road, Mumbai, Maharashtra - 400001













WHATSAPP



### Inspiring Emotions Through Light

Light has the remarkable ability to evoke a wide range of emotions within us. Whether it's the warm glow of a sunset filling us with peace and tranquility, or the bright lights of a bustling city energizing us with excitement, light plays a crucial role in shaping our feelings and experiences. With over a century of experience and relevance in the industry, we have honored our craft to create lights that capture the epic spectrum of human emotions. Drawing from our technical expertise, we have developed an intuitive understanding of your needs, allowing us to tailor our products to meet your expectations and desires.

World-Class LED Products

Here we stand, proud to present our world-class LED products that have been meticulously crafted with impeccable technical precision and unmatched style. These lights are not just functional products but work of art designed to inspire the best in you. By integrating cutting-edge technology with innovative design, we strive to push the boundaries of what is possible in lighting solutions. Our team of dedicated professionals works tirelessly to stay ahead of trends and deliver products that exceed Light has the remarkable ability to evoke a wide range of

ahead of trends and deliver products that exceed expectations.





OUR INHOUSE PLASTIC MOULDING FACILITY | INHOUSE ASSEMBLY



Kurasu, derived from the Japanese word '暮らす' meaning 'to live' or 'lifestyle' encapsulates our company's essence. At Kurasu, we believe that every product we manufacture is not merely a tool but an integral part of our customers' lives. With a focus on reliability and quality, each Kurasu product embodies the ethos of mindful living, offering solutions that empower individuals to live their best lives, every day.



30+ YEARS OF RICH EXPERIENCE IN P&D

### **Vision Statement**

To be the market leader in rechargeable consumer products industry by delivering unparalleled quality and innovation, setting the standard for excellence in every product we create.

### **Mission Statement**

Our mission is to empower consumers with high-quality, innovative rechargeable products that enhance everyday life. We are committed to continuous improvement, sustainability, and excellence in all aspects of our business. By prioritizina customer satisfaction leveraging and cuttina-edae technology. we aim to build lasting relationships and lead the industry with integrity and innovation.



## COMPANY HIGHLIGHTS



30 Years Of Experience In OEM and ODM



Superior Factory Locations In Vapi, and Rajkot



Monthly Production Capacity Of 2 Lakh+ Pieces



Worked With Industry Giants - Agrostar, Syska, and Bajaj



## CONTENT

### Our Products Ranges From















## Variant 2: M1X (With LED Light)







Li-Ion Battery



Dual Protection





Product Highlights:	Flexible, Bright Led Light, Shock Proof, Overcharge and Discharge Protection
Material Type:	Plastic
Battery Capacity:	3.7 Volts 500mAh Lithium Ion Battery BIS Certified
Charging Input:	Type C
Frequency:	50-60Hz
Swatter Net:	3 Mesh Metal Design
Charging Time:	2 - 3 Hours
Product Usage Cycle:	10000 Hits Per Charge (Approximately)
Discharge Current Output:	3500 Volts
Carton Size (LxBxH)	105cms X 50cms X 56cms
Packaging Standard	30 Pieces
Carton Gross Weight:	13kgs
Product Dimensions (LxBxH):	20.82cms X 2.79cms X 48.76cms
Product Weight:	250grams

### **Product Code - Variant 1: M2**

## Variant 2: M2X (With LED Light)







Light

Li-lon Battery



Dual Protection





Product Highlights:	Flexiable, Bright Led Light, Shock Proof, Overcharge and Discharge Protection
Material Type:	Plastic
Battery Capacity:	3.7 Volts 500mAh Lithium Ion Battery BIS Certified
Charging Input:	Type C
Frequency:	50-60Hz
Swatter Net:	3 Mesh Metal Design
Charging Time:	2 - 3 Hours
Product Usage Cycle:	10000 Hits Per Charge (Approximately)
Discharge Current Output:	3500 Volts
Carton Size (LxBxH)	105cms X 50cms X 56cms
Packaging Standard	30 Pieces
Carton Gross Weight:	12.5kgs
Product Dimensions (LxBxH):	21.5cms X 3.5cms X 49.5cms
Product Weight:	240grams

## Variant 2: M3X (With LED Light)







Light

Li-lon Battery









Product Highlights:	Larger Mesh Surface Area, Bright Led Light, Shock Proof, Overcharge and Discharge Protection
Material Type:	Plastic
Battery Capacity:	3.7 Volts 500mAh Lithium Ion Battery BIS Certified
Charging Input:	Type C
Frequency:	50-60Hz
Swatter Net:	3 Mesh Metal Design
Charging Time:	2 - 3 Hours
Product Usage Cycle:	10000 Hits Per Charge (Approximately)
Discharge Current Output:	3500 Volts
Carton Size (LxBxH)	105cms X 50cms X 56cms
Packaging Standard	30 Pieces
Carton Gross Weight:	13.5kgs
Product Dimensions (LxBxH):	21cms X 3.5cms X 53.5cms
Product Weight:	265grams

## Variant 2: M4X (With LED Light)







Light

Li-lon Battery











Product Highlights:	Larger Mesh Surface Area, Bright Led Light, Shock Proof, Overcharge and Discharge Protection
Material Type:	Plastic
Battery Capacity:	3.7 Volts 500mAh Lithium Ion Battery BIS Certified
Charging Input:	Type C
Frequency:	50-60Hz
Swatter Net:	3 Mesh Metal Design
Charging Time:	2 - 3 Hours
Product Usage Cycle:	10000 Hits Per Charge (Approximately)
Discharge Current Output:	3500 Volts
Carton Size (LxBxH)	105cms X 50cms X 56cms
Packaging Standard	30 Pieces
Carton Gross Weight:	15kgs
Product Dimensions (LxBxH):	22.5cms X 3.5cms X 53.5cms
Product Weight:	315grams

## Variant 2: M5X (With LED Light)







Li-lon

Battery









Product Highlights:	Larger Mesh Surface Area, Bright Led Light, Shock
	Proof, Overcharge and Discharge Protection
Material Type:	Plastic
Battery Capacity:	3.7 Volts 500mAh Lithium Ion Battery BIS Certified
Charging Input:	Type C
Frequency:	50-60Hz
Swatter Net:	3 Mesh Metal Design
Charging Time:	2 - 3 Hours
Product Usage Cycle:	10000 Hits Per Charge (Approximately)
Discharge Current Output:	3500 Volts
Carton Size (LxBxH)	105cms X 50cms X 56cms
Packaging Standard	30 Pieces
Carton Gross Weight:	13kgs
Product Dimensions (LxBxH):	21.5cms X 3.5cms X 50cms
Product Weight:	250grams

## Variant 2: M6X (With LED Light)







Light Li-lon Battery



Dual Protection





Product Highlights:	Larger Mesh Surface Area, Bright Led Light, Shock Proof, Overcharge and Discharge Protection
Material Type:	Plastic
Battery Capacity:	3.7 Volts 500mAh Lithium Ion Battery BIS Certified
Charging Input:	Type C
Frequency:	50-60Hz
Swatter Net:	3 Mesh Metal Design
Charging Time:	2 - 3 Hours
Product Usage Cycle:	10000 Hits Per Charge (Approximately)
Discharge Current Output:	3500 Volts
Carton Size (LxBxH)	105cms X 50cms X 56cms
Packaging Standard	30 Pieces
Carton Gross Weight:	13kgs
Product Dimensions (LxBxH):	21.5cms X 4.5cms X 51cms
Product Weight:	250grams









Dual Protection





Product Highlights:	Larger Mesh Surface Area, Bright Led Light, Shock Proof, Overcharge and Discharge Protection
Material Type:	Plastic
Battery Capacity:	3.7 Volts 500mAh Lithium Ion Battery BIS Certified
Charging Input:	Plug Charging
Frequency:	50-60Hz
Swatter Net:	3 Mesh Metal Design
Charging Time:	Up To 10 Hours
Product Usage Cycle:	10000 Hits Per Charge (Approximately)
Discharge Current Output:	3500 Volts
Carton Size (LxBxH)	105cms X 50cms X 56cms
Packaging Standard	40 Pieces
Carton Gross Weight:	13kgs
Product Dimensions (LxBxH):	21.5cms X 4.5cms X 51cms
Product Weight:	250grams (Poly Bag Packaging)

### **Product Code - Variant 1: M7**

## Variant 2: M7X (With LED Light)







Light Li-Ion Battery



Dual Protection





Product Highlights:	Larger Mesh Surface Area, Bright Led Light, Shock Proof, Overcharge and Discharge Protection
Material Type:	Plastic
Battery Capacity:	3.7 Volts 500mAh Lithium Ion Battery BIS Certified
Charging Input:	Type C
Frequency:	50-60Hz
Swatter Net:	3 Mesh Metal Design
Charging Time:	2 - 3 Hours
Product Usage Cycle:	10000 Hits Per Charge (Approximately)
Discharge Current Output:	3500 Volts
Carton Size (LxBxH)	105cms X 50cms X 56cms
Packaging Standard	30 Pieces
Carton Gross Weight:	14kgs
Product Dimensions (LxBxH):	21.5cms X 4cms X 51.5cms
Product Weight:	310grams

## Product Code - Variant 1: M8 Plug Charging Variant 2: M8X Plug Charging (With LED Light)











Light Large Mesh



Dual Protection





Product Highlights:	Larger Mesh Surface Area, Bright Led Light, Shock Proof, Overcharge and Discharge Protection
Material Type:	Plastic
Battery Capacity:	3.7 Volts 500mAh Lithium Ion Battery BIS Certified
Charging Input:	Plug
Frequency:	50-60Hz
Swatter Net:	3 Mesh Metal Design
Charging Time:	Up To 10 Hours
Product Usage Cycle:	10000 Hits Per Charge (Approximately)
Discharge Current Output:	3500 Volts
Carton Size (LxBxH)	105cms X 50cms X 56cms
Packaging Standard	30 Pieces
Carton Gross Weight:	13.5kgs
Product Dimensions (LxBxH):	23cms X 4.5cms X 52.5cms
Product Weight:	265grams

## Product Code - Variant 1: M9 (Torch with Plug Charging)

















Product Highlights:	In-Built Torch, Larger Mesh Surface Area, Bright Led Light, Shock Proof, Overcharge & Discharge Protection
Material Type:	Plastic
Battery Capacity:	4.0 Volts 400mAh Lead Acid Battery
Charging Input:	Plug
Frequency:	50-60Hz
Swatter Net:	3 Mesh Metal Design
Charging Time:	Up To 10 Hours
Product Usage Cycle:	6000 Hits Per Charge (Approximately)
Discharge Current Output:	3500 Volts
Carton Size (LxBxH)	105cms X 50cms X 56cms
Packaging Standard	30 Pieces
Carton Gross Weight:	16kgs
Product Dimensions (LxBxH):	24.5cms X 4.5cms X 55cms
Product Weight:	330grams

# Rechargeable Mosquito Swatter Racket Product Code - Variant 1: M10 Plug Charging Variant 2: M10X Plug Charging (With LED Light)



















Larger Mesh Surface Area, Bright Led Light, Shock Proof, Overcharge and Discharge Protection
Plastic
3.7 Volts 500mAh Lithium Ion Battery BIS Certified
Plug
50-60Hz
3 Mesh Metal Design
Up To 10 Hours
10000 Hits Per Charge (Approximately)
3500 Volts
105cms X 50cms X 56cms
30 Pieces
13kgs
21cms X 4cms X 52cms
250grams

# Rechargeable Mosquito Swatter Racket Product Code - Variant 1: M12 Plug Charging Variant 2: M12X Plug Charging (With LED Light)

















Product Highlights:	Larger Mesh Surface Area, Bright Led Light, Shock Proof, Overcharge and Discharge Protection
Material Type:	Plastic
Battery Capacity:	3.7 Volts 500mAh Lithium Ion Battery BIS Certified
Charging Input:	Plug
Frequency:	50-60Hz
Swatter Net:	3 Mesh Metal Design
Charging Time:	Up To 10 Hours
Product Usage Cycle:	10000 Hits Per Charge (Approximately)
Discharge Current Output:	3500 Volts
Carton Size (LxBxH)	105cms X 50cms X 56cms
Packaging Standard	30 Pieces
Carton Gross Weight:	12kgs
Product Dimensions (LxBxH):	21.5cms X 4cms X 50.5cms
Product Weight:	220grams



## Rechargeable Desk Lamp Product Code - Variant 1: D1 Variant 2: D1 Solar



Philips AC Socket





Acid



Degree Rotatable



Dual Protection



Product Warranty



Product Highlights:	Bright Light, 32 LED, Strong Built, Shock Proof with In-built Over Charge & Discharge Cut-Off Protection
Material Type:	Plastic
Battery Capacity:	4.0 Volts 2000mAh Lead Acid Battery
Charging Input:	Phillips AC Charging Socket
Power:	16 Watts
Lumens:	1600 Lumens
Charging Time:	6 - 8 Hours
Product Usage Cycle:	Up to 4 Hours
Carton Size (LxBxH):	36.8cms x 36.5cms x 45cms
Packaging Standard	40 Pieces
Carton Gross Weight:	22.62kgs
Product Dimensions (LxBxH):	8cms x 6cms x 17.7cms
Product Weight:	421grams



## AC DC Bulb Light Product Code - B1







Li-Ion Battery Protection









Product Highlights:	Dual Glass Glare Protection, Bright Light, Shock Proof with In-built Over Charge & Discharge Cut-Off Protection
Material Type:	Plastic
Battery Capacity:	3.7 Volts 1200mAh Lithium Battery
Charging Input:	AC Charging
Power:	10 Watts
Lumens:	1000 Lumens
Charging Time:	6 - 8 Hours
Product Usage Cycle:	Up to 3 Hours
Carton Size (LxBxH):	51.1cms x 28cms x 43.18cms
Packaging Standard	60 Pieces
Carton Gross Weight:	9.89kgs
Product Dimensions (LxBxH):	15.3cms x 4cms x 7.5cms
Product Weight:	115grams



## Rechargable Head Light **Product Code - H1**



Philips AC Socket LED Light

Lead

Acid

Dual Protection

Product Warranty





Product Highlights:	Bright Light Focused LED, 180 degree Rotatable, Shock Proof with In-built Over Charge & Discharge Cut-Off Protection
Material Type:	Plastic
Battery Capacity:	4.0 Volts 1000mAh Lead Acid Battery
Charging Input:	Phillips AC Charging Socket
Power:	2 Watts
Lumens:	200 Lumens
Charging Time:	6 - 8 Hours
Product Usage Cycle:	Up to 4 Hours
Carton Size (LxBxH):	73cms x 30.14cms x 54.6cms
Packaging Standard	60 Pieces
Carton Gross Weight:	14kgs
Product Dimensions (LxBxH):	9.5cms x 7.5cms x 9.2cms
Product Weight:	195grams



## Rechargeable Handle Torch Light

### **Product Code - T1**





DC Socket



Strong and Durable



Aluminium Metal Body



Light



Lead Acid



Dual Protection



Warranty



Product Highlights:	Durable, Bright Light, Long Distance Throw Light, Aluminium Body, Shock Proof with In-built Over Charge & Discharge Cut-Off Protection
Material Type:	Plastic With Aluminium
Battery Capacity:	4.0 Volts 6000mAh Lead Acid Battery
Charging Input:	DC 5.2V Charging
Power:	5 Watts + 5 Watts
Lumens:	1000 Lumens
Charging Time:	12 - 15 Hours
Product Usage Cycle:	Up to 10 Hours
Carton Size (LxBxH):	73.1cms x 30.1cms x 54.6cms
Packaging Standard	10 Pieces
Carton Gross Weight:	13.5kgs
Product Dimensions (LxBxH):	21.5cms x 13cms x 18cms
Product Weight:	1102grams



0 DC Socket





Aluminium Metal Body



Light



Dual Acid Protection





Product Highlights:	Durable, Bright Light, Long Distance Throw Light, Aluminium Body, Shock Proof with In-built Over Charge & Discharge Cut-Off Protection
Material Type:	Plastic With Aluminium
Battery Capacity:	4.0 Volts 6000mAh Lead Acid Battery
Charging Input:	DC 5.2V Charging
Power:	5 Watts
Lumens:	500 Lumens
Charging Time:	12 - 15 Hours
Product Usage Cycle:	Up to 10 Hours
Carton Size (LxBxH):	73.1cms x 30.1cms x 54.6cms
Packaging Standard	10 Pieces
Carton Gross Weight:	13.5kgs
Product Dimensions (LxBxH):	21.5cms x 13.5cms x 16cms
Product Weight:	1102grams



0 DC

Strong and Durable Socket



Aluminium Metal Body



Light



Lead Acid



Dual Protection





Product Highlights:	Durable, Bright Light,Long Distance Throw Light, Aluminium Body, Shock Proof with In-built Over Charge & Discharge Cut-Off Protection
Material Type:	Plastic With Aluminium
Battery Capacity:	4.0 Volts 6000mAh Lead Acid Battery
Charging Input:	DC 5.2V Charging
Power:	5 Watts
Lumens:	500 Lumens
Charging Time:	12 - 15 Hours
Product Usage Cycle:	Up to 10 Hours
Carton Size (LxBxH):	73.1cms x 30.1cms x 54.6cms
Packaging Standard	10 Pieces
Carton Gross Weight:	13.5kgs
Product Dimensions (LxBxH):	21.5cms x 13.5cms x 16cms
Product Weight:	1102grams

## Rechargeable Handle Torch Light

### **Product Code - T4**



DC Socket





Lead Acid







Product Highlights:	Durable, Bright Light, Long Distance Throw Light, Shock Proof with In-built Over Charge & Discharge Cut-Off Protection
Material Type:	Plastic
Battery Capacity:	4.0 Volts 6000mAh Lead Acid Battery
Charging Input:	DC 5.2V Charging
Power:	10 Watts + 5 Watts
Lumens:	1500 Lumens
Charging Time:	12 - 15 Hours
Product Usage Cycle:	Up to 10 Hours
Carton Size (LxBxH):	73.1cms x 30.1cms x 54.6cms
Packaging Standard	10 Pieces
Carton Gross Weight:	13.5kgs
Product Dimensions (LxBxH):	22.5cms x 14.5cms x 15cms
Product Weight:	1102grams

## Rechargeable Handle Torch Light

### **Product Code - T5**



DC Socket





Lead Acid

**SIIII** 









Product Highlights:	Durable,Bright Light,Long Distance Throw Light, Shock Proof with In-built Over Charge & Discharge Cut-Off Protection
Material Type:	Plastic
Battery Capacity:	4.0 Volts 6000mAh Lead Acid Battery
Charging Input:	DC 6V Charging
Power:	10 Watts
Lumens:	1000 Lumens
Charging Time:	12 - 15 Hours
Product Usage Cycle:	Up to 12 Hours
Carton Size (LxBxH):	73.1cms x 30.1cms x 54.6cms
Packaging Standard	8 Pieces
Carton Gross Weight:	11.5kgs
Product Dimensions (LxBxH):	23cms x 13cms x 16cms
Product Weight:	1102grams





Plug



Strong and Durable



Light



Lead Acid



Dual Protection







Product Highlights:	Durable,Bright Light,Long Distance Throw Light, Shock Proof with In-built Over Charge & Discharge Cut-Off Protection
Material Type:	Plastic
Battery Capacity:	4.0 Volts 6000mAh Lead Acid Battery
Charging Input:	Attached Charging Cord
Power:	5 Watts
Lumens:	500 Lumens
Charging Time:	12 - 15 Hours
Product Usage Cycle:	Up to 4 Hours
Carton Size (LxBxH):	73.1cms x 30.1cms x 54.6cms
Packaging Standard	20 Pieces
Carton Gross Weight:	18.52kgs
Product Dimensions (LxBxH):	22.5cms x 13.5cms x 16cms
Product Weight:	811grams





Plug







Acid







Product Highlights:	Durable,Bright Light,Long Distance Throw Light, Shock Proof with In-built Over Charge & Discharge Cut-Off Protection
Material Type:	Plastic
Battery Capacity:	4.0 Volts 3500mAh Lead Acid Battery
Charging Input:	Attached Charging Cord
Power:	5 Watts
Lumens:	500 Lumens
Charging Time:	12 - 15 Hours
Product Usage Cycle:	Up to 4 Hours
Carton Size (LxBxH):	73.1cms x 30.1cms x 54.6cms
Packaging Standard	20 Pieces
Carton Gross Weight:	19.20kgs
Product Dimensions (LxBxH):	24cms x 13.5cms x 16cms
Product Weight:	846grams





Plug



Strong and Durable





Lead Acid



Dual Protection





Product Highlights:	Durable,Bright Light,Long Distance Throw Light, Shock Proof with In-built Over Charge & Discharge Cut-Off Protection
Material Type:	Plastic
Battery Capacity:	4.0 Volts 3500mAh Lead Acid Battery
Charging Input:	Attached Charging Cord
Power:	5 Watts
Lumens:	500 Lumens
Charging Time:	12 - 15 Hours
Product Usage Cycle:	Up to 4 Hours
Carton Size (LxBxH):	69.21cms x 29.21cms x 53.97cms
Packaging Standard	20 Pieces
Carton Gross Weight:	20.53kgs
Product Dimensions (LxBxH):	23cms x 13.5cms x 15cms
Product Weight:	800grams









**SIIII** Lead Acid







Product Highlights:	Durable,Bright Light,Long Distance Throw Light, Shock Proof with In-built Over Charge & Discharge Cut-Off Protection
Material Type:	Plastic
Battery Capacity:	4.0 Volts 3500mAh Lead Acid Battery
Charging Input:	Attached Charging Cord
Power:	5 Watts
Lumens:	500 Lumens
Charging Time:	10 - 15 Hours
Product Usage Cycle:	Up to 4 Hours
Carton Size (LxBxH):	73.1cms x 30.1cms x 54.6cms
Packaging Standard	20 Pieces
Carton Gross Weight:	20.35kgs
Product Dimensions (LxBxH):	23.5cms x 13.5cms x 16.5cms
Product Weight:	825grams



Philips AC Socket





Lead Acid







Product Highlights:	Durable,Bright Light,Long Distance Throw Light, Shock Proof with In-built Over Charge & Discharge Cut-Off Protection
Material Type:	Plastic
Battery Capacity:	4.0 Volts 3500mAh Lead Acid Battery
Charging Input:	Phillips AC Charging Socket
Power:	5 Watts + 9 Watts
Lumens:	1400 Lumens
Charging Time:	6 - 8 Hours
Product Usage Cycle:	Up to 4 Hours
Carton Size (LxBxH):	73cms x 58.1cms x 33cms
Packaging Standard	20 Pieces
Carton Gross Weight:	28.90kgs
Product Dimensions (LxBxH):	25cms x 13.5cms x 16cms
Product Weight:	807grams





Plug













Product Highlights:	Durable,Bright Light,Long Distance Throw Light, Shock Proof with In-built Over Charge & Discharge Cut-Off Protection
Material Type:	Plastic
Battery Capacity:	4.0 Volts 1500mAh Lead Acid Battery
Charging Input:	Attached Charging Cord
Power:	3 Watts + 6 Watts
Lumens:	900 Lumens
Charging Time:	6 - 8 Hours
Product Usage Cycle:	Up to 4 Hours
Carton Size (LxBxH):	55.6cms x 38.1cms x 47.6cms
Packaging Standard	30 Pieces
Carton Gross Weight:	15.80 kgs
Product Dimensions (LxBxH):	20.5cms x 12.5cms x 15cms
Product Weight:	450grams



Philips AC Socket LED Light

Lead

Acid

Dual Protection

Product Warranty



Product Highlights:	Durable,Bright Light, Shock Proof with In-built Over Charge & Discharge Cut-Off Protection
Material Type:	Plastic
Battery Capacity:	4.0 Volts 1200mAh Lead Acid Battery
Charging Input:	Phillips AC Charging Socket
Power:	1 Watts + 12 Watts
Lumens:	1300 Lumens
Charging Time:	6 - 8 Hours
Product Usage Cycle:	Up to 6 Hours
Carton Size (LxBxH):	73.1cms x 30.1cms x 54.6cms
Packaging Standard	40 Pieces
Carton Gross Weight:	16.20kgs
Product Dimensions (LxBxH):	22.5cms x 10cms x 13cms
Product Weight:	337grams



## Rechargeable Flash Light Product Code - T13



Philips AC Socket LED Light

Lead Acid

Dual Protection



Product Warranty



Product Highlights:	Durable,Bright Light, Shock Proof with In-built Over Charge & Discharge Cut-Off Protection
Material Type:	Plastic
Battery Capacity:	4.0 Volts 2400mAh Lead Acid Battery
Charging Input:	Phillips AC Charging Socket
Power:	3 Watts + 5 Watts
Lumens:	800 Lumens
Charging Time:	6 - 8 Hours
Product Usage Cycle:	Up to 6 Hours
Carton Size (LxBxH):	73.1cms x 30.1cms x 54.6cms
Packaging Standard	40 Pieces
Carton Gross Weight:	14.50kgs
Product Dimensions (LxBxH):	8cms x 8cms x 31.5cms
Product Weight:	306grams





Plug



Light



Lead Acid



Dual Protection



Product Warranty



Product Highlights:	Durable,Bright Light, Shock Proof with In-built Over Charge & Discharge Cut-Off Protection
Material Type:	Plastic
Battery Capacity:	4.0 Volts 400mAh Lead Acid Battery
Charging Input:	Plug
Power:	0.5 Watts
Lumens:	50 Lumens
Charging Time:	4 - 6 Hours
Product Usage Cycle:	Up to 2 Hours
Carton Size (LxBxH):	53cms x 23cms x24 cms
Packaging Standard	120 Pieces
Carton Gross Weight:	11.90kgs
Product Dimensions (LxBxH):	5cms x 5cms x 15.5cms
Product Weight:	80grams

### Rechargeable Flash Light

### **Product Code - T15**







Lead

Acid









Product Highlights:	Durable,Bright Light, Shock Proof with In-built Over Charge & Discharge Cut-Off Protection
Material Type:	Plastic
Battery Capacity:	4.0 Volts 400mAh Lead Acid Battery
Charging Input:	Plug
Power:	0.5 Watts
Lumens:	50 Lumens
Charging Time:	4 - 6 Hours
Product Usage Cycle:	Up to 2 Hours
Carton Size (LxBxH):	53cms x 23cms x24 cms
Packaging Standard	120 Pieces
Carton Gross Weight:	11.90kgs
Product Dimensions (LxBxH):	5cms x 4cms x 13cms
Product Weight:	80grams



**OEM & ODM manufacturer of** electric mosquito racket and rechargeable flashlight.

For sales inquiry and more information:





